


12. (Amended) The valve according to claim 8, wherein said body portion is formed of carbon steel, low alloy steel, or stainless steel.

13. (Amended) The valve according to claim 8, wherein said cobalt-based alloy material portion contains 0.6 to 3% C, 2% or less Si, 25 to 32% Cr, 15% or less W, 0 to 3% Fe, 0 to 3% Ni, and 0 to 6% Mo by weight, the balance being Co and unavoidable impurities.

REMARKS

Claims 3-6 and 10-13 have been amended to remove multiple dependencies. Examination is respectfully requested.

Respectfully submitted,


John R. Mattingly
Registration No. 30,293
Attorney for Applicants

MATTINGLY, STANGER & MALUR
1800 Diagonal Rd., Suite 370
Alexandria, Virginia 22314
(703) 684-1120
Date: February 27, 2002

MARKED UP VERSION OF REWRITTEN CLAIMS

3. (Amended) The joint construction of cobalt-based alloy according to claim 1 [or 2], wherein said insert metal layer contains an element diffused from said base metal portion and cobalt diffused from said cobalt-based alloy portion.

4. (Amended) The joint construction of cobalt-based alloy material according to [any one of claims] claim 1 [to 3], wherein the grain size of said eutectic carbide is not larger than 30 μm .

5. (Amended) The joint construction of cobalt-based alloy material according to [any one of claims] claim 1 [to 4], wherein said base metal portion is formed of any of carbon steel, low alloy steel, and stainless steel.

6. (Amended) The joint construction of cobalt-based alloy material according to [any one of claims] claim 1 [to 5], wherein said cobalt-based alloy portion contains 0.6 to 3% C, 2% or less Si, 25 to 32% Cr, 15% or less W, 0 to 3% Fe, 0

to 3% Ni, and 0 to 6% Mo by weight, the balance being Co and unavoidable impurities.

10. (Amended) The valve according to claim 8 [or 9], wherein said insert metal layer contains an element diffused from said body portion and cobalt diffused from said cobalt-based alloy portion.

11. (Amended) The valve according to [any one of claims] claim 8 [to 10], wherein the grain size of said eutectic carbide is not larger than 30 μm .

12. (Amended) The valve according to [any one of claims] claim 8 [to 11], wherein said body portion is formed of carbon steel, low alloy steel, or stainless steel.

13. (Amended) The valve according to [any one of claims] claim 8 [to 12], wherein said cobalt-based alloy material portion contains 0.6 to 3% C, 2% or less Si, 25 to 32% Cr, 15% or less W, 0 to 3% Fe, 0 to 3% Ni, and 0 to 6% Mo by weight, the balance being Co and unavoidable impurities.